

BEUSSE WOLTER SANKS MORA & MAIRE, P.A.**FACSIMILE TRANSMITTAL SHEET****RECEIVED
CENTRAL FAX CENTER****AUG 15 2008****TO:**
Examiner J. Diramio
Group Art Unit 1641**FROM:**
Fred M. Romano
Tel: 407-926-7722
Fax: 407-926-7720**COMPANY**
U.S. Patent and Trademark Office**DATE**
August 15, 2008**FAX NUMBER FOR ART UNIT 1641****TOTAL NO. OF PAGES INCLUDING COVER****571-278-8300****9****PHONE NUMBER**
1-866-217-9197**SENDER'S REFERENCE NUMBER:**
10442-004**YOUR REFERENCE NUMBER:**
Ser. No. 10/530,464☒ **URGENT** ☐ **FOR REVIEW** ☐ **PLEASE COMMENT** ☐ **PLEASE REPLY** ☐ **PLEASE RECYCLE****NOTES/COMMENTS:**

**Please provide this facsimile to Examiner Diramio, telephone number:
571-272-8785.**

Thank you.

**Attached find a proposed amendment per the telephone interview held
on August 12 2008. Please contact Mr. Romano at the above telephone
number to discuss this matter.**

300 NORTH ORANGE AVENUE, SUITE 2500, ORLANDO, FLORIDA 32801**TELEPHONE: (407) 926-7700****FACSIMILE (407) 926-7720**

RECEIVED
CENTRAL FAX CENTER

AUG 15 2008

PATENT

Attorney Docket No. 10442-004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Inventor:	Tara Nylese)	Group Art Unit:	1641
)		
Serial No.:	10/530,464)	Examiner:	Jacqueline A. Diramio
)		
Filed:	04/05/2005)	Confirmation No.:	4794

Title: Portable Diagnostic Device And Method For Determining Temporal Variations In Concentrations

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Proposed Amendment under Rule 116

Sir:

Applicant respectfully submits the following amendment and request for allowance of the above-referenced application.

(please proceed to page 2)